POPULATION ESTIMATES	CENSUS DATA	LOCAL PUBLIC HEALTH			
		Per			
Total 1995 Population Est 394, 200		Activities Reported Number 10,00			
Percent Female 50.8	Note: Data in this section are from	l			
	the 1990 Census. (All other	Public Health Nursing			
Population per square mile 328	sections contain 1995 data	Total clients 5,837 148			
Rank in state 8	except where specified.)	Total visits 14, 464 367			
(1=highest population density,	7 . 2	Visits: Reason for			
72=lowest population density.)	Ratio of 1989 Family	Gen hlth promotion 2,089 53			
	Income to Poverty	Infant/child hlth 4,812 122			
	(Cumul ative)	Infectious & parasitic 3,286 83			
Age Female Male Total	100% 100% 000% 100%	Circulatory 13			
0-14 38, 220 40, 260 78, 480	Age <100% <185% <200% Total <5 11 23 26 25,414	Prenatal 2,887 73			
15-19 14,030 14,040 28,064		Postpartum 663 17			
20-24 17, 720 17, 320 35, 040	5-17 8 19 22 56, 625	WTC D			
25-29 20, 330 20, 520 40, 850	18-44 14 26 28 179, 510	WIC Participants 7,383 187			
30-34 17, 170 17, 540 34, 710	18-44 14 26 28 179,510 45-64 4 9 10 58,437 65+ 5 22 25 31,572				
35-39 17, 190 17, 560 34, 750	65+ 5 22 25 31, 572	Clinic Visits 20,423 518			
40-44 16, 840 16, 380 33, 220		Immuni zation 7, 762 197			
45-54 23,700 22,830 46,530		Blood pressure 1,782 .			
55-64 12, 930 12, 260 25, 190					
65-74 11,000 9,290 20,290		Environmental Contacts			
75-84 7,700 4,770 12,470	CANCER INCIDENCE	Env hazards 6, 911 175			
85+ 3, 380 1, 220 4, 600	(1995)	Public health nuisance 2,631 67			
Total 200, 210 193, 990 394, 200					
	Primary site Number	School Health			
	Col on 143	Vision screenings 11,074			
Age Female Male Total	Lung 173	Hearing screenings 10,317 .			
0-17 46, 960 49, 020 95, 980	Breast 279				
18-44 94, 540 94, 600 189, 140	Prostate 200	Health Education			
45-64 36, 630 35, 090 71, 720	All others 789	Community sessions 369 9			
65+ 22,080 15,280 37,360	Total 1, 584	Community attendance 6,994 177			
Total 200, 210 193, 990 394, 200	]	School sessions 138 4			
		School attendance 4,827 122			
E MD I O V ME N M		L C4 - CC1 - A FTE			
E M P L U Y M E N T	LONG TERM CARE				
Notice Access to Leave 1		Total staff 137 3.5			
Note: Average wage is based on place	The state of the s	Administrators 15 0.4			
of work, not place of residence.	Home Health Agencies 7	Public health nurses 46 1.2 Public health aides 16 0.4			
A	Patients 3, 160	Public health aides 16 0.4			
Average wage for jobs covered	Patients per 10,000 pop 80	Environmental specialists 17 0.4			
by Unemployment Compensation \$26,337	N H				
I.L. F Fedding A A	Nursing Homes 24	LOCAL DUDI I C HEALTH FUNDING			
Labor Force Estimates Annual Average	Li censed beds 2, 384	LOCAL PUBLIC HEALTH FUNDING			
Civilian labor force 248, 561	0ccupancy rate (percent) 91.5% Residents on 12/31/95 2,154	Per			
Number employed 244, 132	Residents on 12/31/95 2, 154	Amount Capita Total funding \$7,772,099 \$19.72			
Number unemployed 4, 429	Residents per 1,000	Total funding \$7,772,099 \$19.72 Local taxes \$4,934,661 \$12.52			
Unemployment rate 1.8%	population aged 65 or older 52	Local taxes \$4,934,661 \$12.52			

# ----- N A T A L I T Y -----

TOTAL LIVE BIRTHS		5, 023	Birth Order	Births	Percent	Marital			
			Fi rst	2, 210	44	<u>of Moth</u>	er	Bi rths	
Crude Live Birth Rate		12. 7	Second	1, 730	34	Marri ed		4, 049	81
General Fertility Rat	ie .	48. 6	Thi rd	733	15	Not marr	i ed	974	19
•			Fourth or higher	350	7	Unknown		0	
Live births with repo	orted		Unknown	0	•				
congenital anomalies	80	0 1.6%				Educati			
_			First Prenatal			of Moth	er	Bi rths	Percent
Delivery Type	<u>Births</u>	Percent	<u>Vi si t</u>	Bi rths	Percent	El ement	ary or les	s 64	1
Vaginal after			1st trimester	4, 464	89	Some high	h school	363	7
previous cesarean	160	3	2nd trimester	466	9	High sch	ool	1, 162	23
Forceps	248	5	3rd trimester	69	1	Some coll	l ege	1, 301	26
Other¹ vagi nal	3, 963	79	No visits	22	<1	College	graduate	2, 126	42
Primary cesarean	451	9	Unknown	2	•	Unknown		7	•
Repeat cesarean	200	4							
Other or unknown	1	•	Number of Prenatal			Smoki ng	Status		
			<u>Care visits</u>	Bi rths	Percent	of Moth	er	Bi rths	Percent
Birth Weight	<u>Births</u>	Percent	No visits	22	<1	Smoker		690	14
<1,500 gm	43	0. 9	1-4 visits	75	1	Nonsmoke	r	4, 331	86
1,500-2,499 gm	215	4. 3	5-9 visits	643	13	Unknown		2	•
2,500+ gm	4, 765	94. 9	10-12 visits	2, 619	<b>52</b>				
m. 1	0		13 + visits	1, 660	33				
Unknown	U	•	10 + 115165						
unknown			Unknown  Low Birth Weight	4		er of Firs			Unknown
<u>Race of Mother</u> White Black Other	Total B Births P 4,429 307 286	irths ercent 88 6 6	Unknown  Low Birth Weight (under 2,500 gm)  Births Percent  205	1st Tr Births 4, 041 200 223	Trimestimestimester Percent 91 65 78	2nd Tri <u>Births</u> 328 82 56	mester Percent 7 27 20	0ther/ Bi rths 60 25 7	Unknown <u>Percent</u> 1 <b>8</b>
<u>Race of Mother</u> White Black	Total B Births P 4,429 307	irths ercent 88 6	Unknown  Low Birth Weight (under 2,500 gm) Births Percent 205 4.6 39 12.7	1st Tri Births 4,041 200	Trimest imester <u>Percent</u> 91 65	2nd Tri <u>Births</u> 328 82	mester Percent 7 27	0ther/ Births 60 25	Percent 1
<u>Race of Mother</u> White Black Other	Total B Births P 4,429 307 286	irths ercent 88 6 6	Unknown  Low Birth Weight (under 2,500 gm)  Births Percent  205 4.6  39 12.7  14 .	1st Tr Births 4, 041 200 223	Trimest imester Percent 91 65 78	2nd Tri <u>Bi rths</u> 328 82 56	mester Percent 7 27 20	0ther/ Births 60 25 7 1	Percent 1
<u>Race of Mother</u> White Black Other	Total B Births P 4,429 307 286 1	irths ercent 88 6 6	Unknown  Low Birth Weight (under 2,500 gm)  Births Percent  205 4.6  39 12.7  14	1st Tri Births 4, 041 200 223	Tri mest i mester Percent 91 65 78 . Tri mest	2nd Tri Births 328 82 56 . er of Firs	mester Percent 7 27 20 . st Prenatal	0ther/Births 60 25 7 1	Percent 1 8 .
Race of Mother White Black Other Unknown	Total B Births P 4,429 307 286 1	irths ercent 88 6 6	Unknown  Low Birth Weight (under 2,500 gm)  Births Percent  205 4.6  39 12.7  14	1st Tri Births 4, 041 200 223 . 1st Tri	Tri mest i mester Percent 91 65 78 . Tri mest mester	2nd Tri <u>Births</u> 328 82 56 . er of Firs 2nd Tri	mester Percent 7 27 20 . st Prenatal mester	0ther/Births 60 25 7 1 Visit 0ther/U	Percent 1 8 Jnknown
Race of Mother White Black Other Unknown	Total B Births P 4,429 307 286 1 Fe Births	irths ercent 88 6 6 rtility Rate	Unknown  Low Birth Weight (under 2,500 gm)  Births Percent  205 4.6  39 12.7  14 Low Birth Weight (under 2,500 gm)  Births Percent	1st Tri Births 4,041 200 223 . 1st Tri Births	Tri mest i mester Percent 91 65 78 . Tri mest	2nd Tri <u>Births</u> 328 82 56 . er of Firs 2nd Tri	mester Percent 7 27 20 . st Prenatal	0ther/Births 60 25 7 1 Vi si t 0ther/U Births	Percent 1 8 Jnknown
Race of Mother White Black Other Unknown Age of Mother <15	Total B Births P 4, 429 307 286 1 Fe Births 5	irths ercent 88 6 6 . rtility Rate	Low Birth Weight (under 2,500 gm) Births Percent  205 4.6 39 12.7 14 Low Birth Weight (under 2,500 gm) Births Percent  1 .	1st Tri Births 4,041 200 223 .  1st Tri Births 2	Tri mest i mester Percent 91 65 78 . Tri mest mester Percent	2nd Tri Births 328 82 56 . er of Firs 2nd Tri Births	mester Percent 7 27 20 . st Prenatal mester Percent .	Other/Births 60 25 7 1 Visit Other/UBirths	Percent 1 8 Jnknown
Race of Mother White Black Other Unknown  Age of Mother <15 15-17	Total B Births P 4, 429 307 286 1 Fe Births 5 110	irths ercent 88 6 6 . rtility Rate 13	Unknown  Low Birth Weight (under 2,500 gm)  Births Percent  205 4.6  39 12.7  14 Low Birth Weight (under 2,500 gm)  Births Percent  1 12 .	1st Tri Births 4,041 200 223 .  1st Tri Births 2 75	Tri mest i mester Percent 91 65 78 . Tri mest mester Percent . 68	2nd Tri Births 328 82 56 . er of Firs 2nd Tri Births .	mester Percent 7 27 20 . st Prenatal mester Percent . 26	Other/Births 60 25 7 1 Visit Other/UBirths 3 6	Percent 1 8 Jnknown
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19	Total B Births P 4, 429 307 286 1 Fe Births 5 110 186	irths ercent 88 6 6 . rtility Rate 13	Unknown  Low Birth Weight (under 2,500 gm)  Births Percent  205 4.6  39 12.7  14 Low Birth Weight (under 2,500 gm)  Births Percent  1 . 12 . 15 .	1st Tri Births 4,041 200 223 .  1st Tri Births 2 75 134	Tri mest i mester Percent 91 65 78 . Tri mest mester Percent . 68 72	2nd Tri Births 328 82 56 . er of Firs 2nd Tri Births . 29 39	mester Percent 7 27 20 st Prenatal mester Percent 26 21	Other/Births 60 25 7 1 Visit Other/UBirths 3 6 13	Percent  1 8 Jnknown Percent
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24	Total B Births P 4, 429 307 286 1 Fe Births 5 110 186 751	irths ercent 88 6 6 . rtility Rate 13 35 42	Unknown  Low Birth Weight (under 2,500 gm)  Births Percent  205 4.6  39 12.7  14 Low Birth Weight (under 2,500 gm)  Births Percent  1 12 12 15 47 6.3	1st Tri Births 4,041 200 223 .  1st Tri Births 2 75 134 599	Tri mest i mester Percent 91 65 78 . Tri mest mester Percent . 68 72 80	2nd Tri Births 328 82 56 . er of Firs 2nd Tri Births . 29 39 121	mester Percent 7 27 20 . st Prenatal mester Percent . 26 21 16	0ther/Births 60 25 7 1 Visit 0ther/UBirths 3 6 13 31	Percent  1 8 Jnknown Percent 4
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29	Total B Births P 4, 429 307 286 1 Fe Births 5 110 186 751 1, 538	irths ercent 88 6 6 . rtility Rate 13 35 42 76	Unknown  Low Birth Weight (under 2,500 gm)  Births Percent  205	1st Tri Births 4,041 200 223 .  1st Tri Births 2 75 134 599 1,388	Tri mest i mester Percent 91 65 78 . Tri mest mester Percent . 68 72 80 90	2nd Tri Births 328 82 56 . er of Firs 2nd Tri Births . 29 39 121 128	mester Percent 7 27 20 . st Prenatal mester Percent . 26 21 16 8	0ther/Births 60 25 7 1 Visit 0ther/UBirths 3 6 13 31 22	Percent  1 8 Jnknown Percent
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Total B Births P 4, 429 307 286 1 Fe Births 5 110 186 751 1, 538 1, 654	irths ercent 88 6 6 . rtility Rate 13 35 42 76 96	Unknown  Low Birth Weight (under 2,500 gm)  Births Percent  205	1st Tri Births 4,041 200 223 .  1st Tri Births 2 75 134 599 1,388 1,545	Tri mest i mester Percent 91 65 78 . Tri mest mester Percent . 68 72 80 90 93	2nd Tri Births 328 82 56 . er of Firs 2nd Tri Births . 29 39 121 128 97	mester Percent 7 27 20 . st Prenatal mester Percent . 26 21 16 8 6	0ther/Births 60 25 7 1 Visit 0ther/UBirths 3 6 13 31 22 12	Percent  1 8 Jnknown Percent 4
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Total B Births P 4, 429 307 286 1 Fe Births 5 110 186 751 1, 538 1, 654 672	irths ercent 88 6 6 . rtility Rate 13 35 42 76 96 39	Unknown  Low Birth Weight (under 2,500 gm)  Births Percent  205	1st Tri Births 4,041 200 223	Tri mest i mester Percent 91 65 78 . Tri mest mester Percent . 68 72 80 90 93 93	2nd Tri Births 328 82 56 . er of Firs 2nd Tri Births . 29 39 121 128 97 45	mester Percent 7 27 20 . st Prenatal mester Percent . 26 21 16 8	0ther/Births 60 25 7 1 Visit 0ther/UBirths 3 6 13 31 22 12 5	Percent  1 8 Jinknown Percent 4
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Total B Births P 4, 429 307 286 1 Fe Births 5 110 186 751 1, 538 1, 654 672 107	rtility Rate 13 35 42 76 96 39 6	Unknown  Low Birth Weight (under 2,500 gm)  Births Percent  205	1st Tri Bi rths 4, 041 200 223 1st Tri Bi rths 2 75 134 599 1, 388 1, 545 622 99	Trimest i mester Percent 91 65 78 . Trimest mester Percent . 68 72 80 90 93 93 93 93	2nd Tri Births 328 82 56 . er of Firs 2nd Tri Births . 29 39 121 128 97	mester Percent 7 27 20 . st Prenatal mester Percent . 26 21 16 8 6	0ther/Births 60 25 7 1 Visit 0ther/UBirths 3 6 13 31 22 12	Percent  1 8 Jnknown Percent 4
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Total B Births P 4, 429 307 286 1 Fe Births 5 110 186 751 1, 538 1, 654 672	irths ercent 88 6 6 . rtility Rate 13 35 42 76 96 39	Unknown  Low Birth Weight (under 2,500 gm)  Births Percent  205	1st Tri Births 4,041 200 223	Tri mest i mester Percent 91 65 78 . Tri mest mester Percent . 68 72 80 90 93 93	2nd Tri Births 328 82 56 . er of Firs 2nd Tri Births . 29 39 121 128 97 45	mester Percent 7 27 20 . st Prenatal mester Percent . 26 21 16 8 6	0ther/Births 60 25 7 1 Visit 0ther/UBirths 3 6 13 31 22 12 5	Percent  1 8 Jnknown Percent 4
Race of Mother White Black Other Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Total B Births P 4, 429 307 286 1 Fe Births 5 110 186 751 1, 538 1, 654 672 107	rtility Rate 13 35 42 76 96 39 6	Unknown  Low Birth Weight (under 2,500 gm)  Births Percent  205	1st Tri Bi rths 4, 041 200 223 1st Tri Bi rths 2 75 134 599 1, 388 1, 545 622 99	Trimest i mester Percent 91 65 78 . Trimest mester Percent . 68 72 80 90 93 93 93 93	2nd Tri Births 328 82 56 . er of Firs 2nd Tri Births . 29 39 121 128 97 45	mester Percent 7 27 20 . st Prenatal mester Percent . 26 21 16 8 6	0ther/Births 60 25 7 1 Visit 0ther/UBirths 3 6 13 31 22 12 5	Percent  1 8 Jnknown Percent 4

# 

### REPORTED CASES OF SELECTED DISEASES

<u>Di sease</u>	Number
Campylobacter Enteritis	127
Gi ardi asi s	174
Hepatitis Type A	22
Hepatitis Type B*	58
Hepatitis NÄNB/C**	0
Legi onnai re' s	<5
Lyme	10
Measles	0
Meningitis, Aseptic	20
Meningitis, Bacterial	<5
Mumps	0
Pertussi s	29
Sal monel l osi s	102
Shi gel l osi s	27
Tubercul osi s	13

- Includes HBV carriers Includes HCV screens

# <u>Sexually Transmitted Disease</u>

Chlamydia Trachomatis	733
Genital Herpes	162
Gonorrhea	258
Nongonococcal Cervicitis	0
Nongonococcal Urethritis	<5
Syphilis	25

# ----- I M M U N I Z A T I O N S -----

Children in Grades K-12 by Compliance Level

Compl i ant	60, 926
Non-compliant	1, 533
Percent Compliant	97. 5

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths.

TOTAL DEATHS Crude Death Rat	z <b>e</b>	2, 397 608
_Age	Deaths	Rate
1-4	4	•
5-14	3	
15-19	11	
20-34	64	<b>58</b>
35-54	247	216
55-64	201	798
65-74	450	2, 219
75-84	688	5, 522
85+	696	15, 130
Infant Mortality Total Infant Neonatal Post-neonatal Unknown	Deaths 33 23 10	Rate 6. 6 4. 6
Race of Mother	0.4	
White	24	5. 4
Bl ack	6	•
0ther	2	•
Unknown	1	•
<u>Birth Weight</u>		
<1,500 gm	13	
1, 500- gm	2	•
2, 500+ gm	$1\tilde{7}$	•
Unknown	1	•
Perinatal Mortality	Deaths	Rate
Total Perinatal	43	8. 5
Neonatal	23	4. 6

Fetal

Selected		
<u>Underlying Cause</u>	Deaths	Rate
Heart Disease (total)	720	183
Coronary heart disease	537	136
Cancer (total)	580	147
Lung	132	33
Colorectal	65	16
Female breast	61	30*
Cerebrovascul ar Disease	196	<b>50</b>
Chron Obstr Pulmonary	94	24
Pneumonia & Influenza	91	23
Inj uri es	82	21
Motor vehicle	29	7
Di abetes	65	16
Infectious & Parasitic	44	11
Sui ci de	40	10

\* Rate for female breast cancer based on female population.

# ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Al cohol Other Drugs Both Mentioned	44 54 6	11 14
Both Mentioned	6	•

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Persons	Persons
	<u>Killed</u>
4, 997	33
578	11
320	0
558	0
157	4
178	0
120	5
	nj ured 4, 997 578 320 558 157 178

DI SEASE / AGE GROUP	Number	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per Capi ta	DI SEASE / AGE GROUP	Number	1,000	Average Stay (Days)	Average	Charge Per Capita
Injury-Related	l· All					   Al cohol - Rel at e	d				
Total	3, 592	9. 1	4.4	\$8, 153	<b>\$74</b>	Total	899	2. 3	5. 9	\$3, 945	<b>\$9</b>
<18	433	$\frac{3.1}{4.5}$	2.8	\$6, 087	<b>§27</b>	18-44	611	3. 2	5. 7	\$3, 682	\$12
18-44	1, 366	7. 2	4. 1	\$8, 552	\$62	45-64	216	3. 0	5. 7	\$4,008	\$12
45-64	665	9. 3	4. 3	\$8, 441	\$78	10 01	~~~	0.0	<b>.</b> .	<b>4 2, 000</b>	4
65+	1, 128	30. 2	5. 3	\$8, 292	\$250	Pneumoni a and	Influenza				
Injury: Hip				, -,	,	Total	843	2. 1	6. 4	\$8, 253	\$18
Total	325	0.8	6. 0	\$10, 751	<b>\$9</b>	<18	135	1. 4	4. 4	\$5, 323	\$7
65+	295	7. 9	6. 1	\$10, 822	\$85	45-64	134	1. 9	6. 0	\$9, 307	\$17
Injury: Pois				, ,	,	65+	446	11. 9	7. 0	\$8, 621	\$103
Total	468	1. 2	2. 2	\$3, 665	<b>\$4</b>	1				, , ,	,
18-44	303	1. 6	$\tilde{2}$ . $\tilde{2}$	\$3, 763	<b>Š</b> 6	Cerebrovascul a	r Disease				
		•		, 0		Total	844	2. 1	5.8	\$8, 292	\$18
Psychi atri c						45-64	180	2. 5	5. 4	\$9, 516	\$24
Total	1, 941	4. 9	12. 2	\$6, 898	\$34	65+	617	16. 5	5. 8	\$7, 508	\$124
<18	226	2. 4	18. 0	\$11, 768	\$28		~	20.0		,	<b>+</b>
18-44	1, 101	5. 8	10. 6	\$5, 706	\$33	Chronic Obstru	ctive Pul	nonarv D	)i sease		
45-64	344	4.8	12. 4	\$6, 700	\$32	Total	799	2.0	4. 2	\$5, 012	\$10
65+	270	7. 2	13. 2	\$7, 935	\$57	<18	129	1.3	2. 0	\$2, 086	\$3
001	~.0		10. 2	<i>ϕ.,</i> σσσ	Ψ0.	18-44	211	1. 1	$\tilde{2}.\tilde{7}$	\$3, 439	<b>\$4</b>
Coronary Heart	Di sease					45-64	169	2.4	4.6	\$5, <b>753</b>	\$14
Total	1, 486	3.8	5.4	\$15, 402	<b>\$58</b>	65+	290	7.8	6. 0	\$7, 026	\$55
45- <b>64</b>	560	7.8		\$16, 654	\$130		200		0. 0	ψ1, 020	<b>400</b>
65+	805	21.6		\$14, 447	\$311	Drug-Related					
001	000	~1.0	<b>0.</b> <i>1</i>	VII, II,	<b>4011</b>	Total	206	0. 5	7. 9	\$4,044	\$2
Malignant Neop	olasms (Cai	ncers).	A11			18-44	152	0.8	7.7	\$3, 856	\$3
Total	1, 225	3. 1	6. 3	\$10, 899	\$34	10 41	102	0.0		<b>40, 000</b>	ŲŪ
18- 44	152	0.8		\$13, 049	\$10	Total Hospital	izations				
45-64	414	5.8	5. 1	\$9, 367	\$ <b>54</b>	Total	38, 364	97. 3	4. 3	\$6, 180	\$601
65+	634	17. 0		\$11, 126	\$189	<18	7, 661	79. <b>8</b>	3. 0	\$3, 198	\$255
Neoplasms: F			ates for	female n		18-44	13, 604	71. 9	3.8	\$5, 007	\$360
Total	152	0.8	2. 0	\$4, 919	\$4	45-64	6, 686	93. 2	4. 7	\$8, 074	\$753
Neoplasms: C		I 0. 0	۵. 0	<b>94</b> , 515	ŲΨ	65+	10, 413	278. 9	5. 9	\$8, 690	\$2, 423
Total	168	0.4	9. 7	\$14, 754	\$6	1 00+	10, 410	≈ 10. U	0. 0	<b>40, 000</b>	ψω, πωυ
65+	115	3. 1		\$14, 734 \$15, 877	\$49	PREVENTA	вів н	0.5 p.t	ТΔΙ	1 <b>7</b> A T 1	0 N S 3
Neoplasms: L		5. 1	10. 4	ψ13, 07 <i>1</i>	949	Total	4,774	12.1	5.3	\$6,701	\$81
Total	89	0. 2	8 2	\$13, 383	\$3	10tai   <18	688	7. 2	3. 5	\$4, 985	\$36
iviai	09	U. &	0. L	ψ13, 363	Ų.	18-44	1, 009	5.3	3. 3 4. 0	\$4, 965 \$5, 165	\$30 \$28
Di abetes						45-64	809	3. 3 11. 3	5. 9	\$8, 414	\$26 \$95
Total	338	0. 9	6. 0	\$7, 976	\$7	45-04   65+	2, 268	60. 7	6. 2	\$7, 294	\$443
65+	103	2.8	7. 2	\$8, 292	\$23	05+	۵, ۵00	00. <i>i</i>	U. &	91, 234	9449
UJ+	103	۵. ٥	1.2	90, LJL	3LJ	* Hospitalizati	one for co	andi ti an	e whore	timely	nd
						effective ambul	atory car	Mui ti Oli	is where	a likalih	ood of
						hospitalization	acory care	tan re	tuuce tii	e iiveiili	00u 01
						nospitarization	•				